

### Features

- Solid brass rough-in valve included.
- 8" rain shower head.
- Concealed mixer.
- Thermostatic cartridge.
- Ceramic disc technology.
- 1/2" NPT inlets and outlets (compatible with US plumbing connections)



### Installation

- Ceiling mounted/ wall mounted installation.


### Included Pieces

- Ceiling shower arm with flange. (Remer 347N30US-CR)
- 8" rain shower head. (Remer 359MM20-CR)
- Shower mixer with rough-in valve. (Remer NT30US-CR)

### Nameek's One-Year Limited Warranty


See website for warranty information details.

### Color/Finish Details

Color	Code	Description
	CR	Polished Chrome


## Shower Arm

Remer 347N30US-CR






## Rain Shower Head

Remer 356MD20



## Shower Valve (Trim + Rough-in Valve)

Remer NT30US-CR



## Technical Information

Shower head size:	7.87"
Shower head type:	Rain
Pivoting shower head:	Yes
Shower arm length:	11.81"
Rough-in included:	Yes
Material:	Brass ABS
Cartridge type:	Thermostatic Ceramic disc technology

## Notes

This item is recommended to be installed by a licensed plumber or professional only. Please ensure to observe all local and building code requirements. Shut off water supply prior to installation.

Includes mounting hardware.